

Note: Box filled with Red indicates Minimum depth of 10ft / 3m

Required size of RWH Tank or Recharge Well						
Square feet			Liters	Well depth required in ft (minimum 10 ft)		
Plot area	Roof area	Open area	Tank / Well size	3 ft dia	4 ft dia	5 ft dia
<b>4000</b>	<b>4000</b>	<b>0</b>	<b>7400</b>	<b>37</b>	<b>21</b>	<b>13</b>
50 x 80	3900	100	7300	37	21	13
	3800	200	7200	36	21	13
	3700	300	7200	36	21	13
	3600	400	7100	36	20	13
	3500	500	7000	35	20	13
	3400	600	6900	35	20	13
	3300	700	6800	34	19	12
	3200	800	6700	34	19	12
	3100	900	6600	33	19	12
	3000	1000	6500	33	19	12
	2900	1100	6400	32	18	12
	2800	1200	6300	32	18	11
	2700	1300	6200	31	18	11
	2600	1400	6100	31	17	11
	2500	1500	6000	30	17	11
	2400	1600	5900	30	17	11
	2300	1700	5900	30	17	11
	2200	1800	5800	29	17	11
	2100	1900	5700	29	16	10
	2000	2000	5600	28	16	10
	1900	2100	5500	28	16	10
	1800	2200	5400	27	15	10
	1700	2300	5300	27	15	10
	1600	2400	5200	26	15	9
	1500	2500	5100	26	15	9
	1400	2600	5000	25	14	9
	1300	2700	4900	25	14	9
	1200	2800	4800	24	14	9
	1100	2900	4700	24	13	9
	1000	3000	4600	23	13	8
	900	3100	4600	23	13	8
	800	3200	4500	23	13	8
	700	3300	4400	22	13	8
	600	3400	4300	22	12	8
	500	3500	4200	21	12	8
	400	3600	4100	21	12	7
	300	3700	4000	20	11	7
	200	3800	3900	20	11	7
	100	3900	3800	19	11	7
<b>3500</b>	<b>3500</b>	<b>0</b>	<b>6500</b>	<b>33</b>	<b>19</b>	<b>12</b>

50 x 70	3400	100	6400	32	18	12
	3300	200	6300	32	18	11
	3200	300	6200	31	18	11
	3100	400	6100	31	17	11
	3000	500	6000	30	17	11
	2900	600	5900	30	17	11
	2800	700	5900	30	17	11
	2700	800	5800	29	17	11
	2600	900	5700	29	16	10
	2500	1000	5600	28	16	10
	2400	1100	5500	28	16	10
	2300	1200	5400	27	15	10
	2200	1300	5300	27	15	10
	2100	1400	5200	26	15	9
	2000	1500	5100	26	15	9
	1900	1600	5000	25	14	9
	1800	1700	4900	25	14	9
	1700	1800	4800	24	14	9
	1600	1900	4700	24	13	9
	1500	2000	4600	23	13	8
	1400	2100	4600	23	13	8
	1300	2200	4500	23	13	8
	1200	2300	4400	22	13	8
	1100	2400	4300	22	12	8
	1000	2500	4200	21	12	8
	900	2600	4100	21	12	7
	800	2700	4000	20	11	7
	700	2800	3900	20	11	7
	600	2900	3800	19	11	7
	500	3000	3700	19	11	7
	400	3100	3600	18	10	7
	300	3200	3500	18	10	6
	200	3300	3400	17	10	6
	100	3400	3300	17	9	6
<b>3000</b>	<b>3000</b>	<b>0</b>	<b>5600</b>	<b>28</b>	<b>16</b>	<b>10</b>
50 x 60	2900	100	5500	28	16	10
	2800	200	5400	27	15	10
	2700	300	5300	27	15	10
	2600	400	5200	26	15	9
	2500	500	5100	26	15	9
	2400	600	5000	25	14	9
	2300	700	4900	25	14	9
	2200	800	4800	24	14	9
	2100	900	4700	24	13	9
	2000	1000	4600	23	13	8
	1900	1100	4600	23	13	8
	1800	1200	4500	23	13	8
	1700	1300	4400	22	13	8

	1600	1400	4300	22	12	8	
	1500	1500	4200	21	12	8	
	1400	1600	4100	21	12	7	
	1300	1700	4000	20	11	7	
	1200	1800	3900	20	11	7	
	1100	1900	3800	19	11	7	
	1000	2000	3700	19	11	7	
	900	2100	3600	18	10	7	
	800	2200	3500	18	10	6	
	700	2300	3400	17	10	6	
	600	2400	3300	17	9	6	
	500	2500	3300	17	9	6	
	400	2600	3200	16	9	6	
	300	2700	3100	16	9	6	
	200	2800	3000	15	9	5	
	100	2900	2900	15	8	5	
	<b>2400</b>	<b>2400</b>	<b>0</b>	<b>4500</b>	<b>23</b>	<b>13</b>	<b>8</b>
40 x 60	2300	100	4400	22	13	8	
	2200	200	4300	22	12	8	
	2100	300	4200	21	12	8	
	2000	400	4100	21	12	7	
	1900	500	4000	20	11	7	
	1800	600	3900	20	11	7	
	1700	700	3800	19	11	7	
	1600	800	3700	19	11	7	
	1500	900	3600	18	10	7	
	1400	1000	3500	18	10	6	
	1300	1100	3400	17	10	6	
	1200	1200	3300	17	9	6	
	1100	1300	3300	17	9	6	
	1000	1400	3200	16	9	6	
	900	1500	3100	16	9	6	
	800	1600	3000	15	9	5	
	700	1700	2900	15	8	5	
	600	1800	2800	14	8	5	
	500	1900	2700	14	8	5	
	400	2000	2600	13	7	5	
	300	2100	2500	13	7	5	
	200	2200	2400	12	7	4	
	100	2300	2300	12	7	4	
	<b>2000</b>	<b>2000</b>	<b>0</b>	<b>3700</b>	<b>19</b>	<b>11</b>	<b>7</b>
40 x 50	1900	100	3600	18	10	7	
	1800	200	3500	18	10	6	
	1700	300	3400	17	10	6	
	1600	400	3300	17	9	6	
	1500	500	3300	17	9	6	
	1400	600	3200	16	9	6	
	1300	700	3100	16	9	6	

	1200	800	3000	15	9	5
	1100	900	2900	15	8	5
	1000	1000	2800	14	8	5
	900	1100	2700	14	8	5
	800	1200	2600	13	7	5
	700	1300	2500	13	7	5
	600	1400	2400	12	7	4
	500	1500	2300	12	7	4
	400	1600	2200	11	6	4
	300	1700	2100	11	6	4
	200	1800	2000	10	6	4
	100	1900	2000	10	6	4
<b>1200</b>	<b>1200</b>	<b>0</b>	<b>2200</b>	<b>11</b>	<b>6</b>	<b>4</b>
30 x 40	1100	100	2100	11	6	4
	1000	200	2000	10	6	4
	900	300	2000	10	6	4
	800	400	1900	10	5	3
	700	500	1800	9	5	3
	600	600	1700	9	5	3
	500	700	1600	8	5	3
	400	800	1500	8	4	3
	300	900	1400	7	4	3
	200	1000	1300	7	4	2
	100	1100	1200	6	3	2
<b>600</b>	<b>600</b>	<b>0</b>	<b>1100</b>	<b>6</b>	<b>3</b>	<b>2</b>
20 x 30	500	100	1000	5	3	2
	400	200	900	5	3	2
	300	300	800	4	2	1
	200	400	700	4	2	1
	100	500	700	4	2	1
<b>400</b>	<b>400</b>	<b>0</b>	<b>700</b>	<b>4</b>	<b>2</b>	<b>1</b>
20 x 20	300	100	700	4	2	1
	200	200	600	3	2	1
	100	300	500	3	1	1
	0	400	400	2	1	1
AR Shivakumar PI RWH						

Required size of RWH Tank or Ground Water Recharge Well						
Square meter			Liters	Well depth required in m ( minimum 3 m)		
Plot area	Roof area	Open area	Tank / Well size	1 m dia	1.2 m dia	1.5 m dia
<b>400</b>	<b>400</b>	<b>0</b>	<b>8000</b>	<b>10.2</b>	<b>7.1</b>	<b>4.5</b>
25 x 16	390	10	7900	10.0	7.0	4.4
	380	20	7800	9.9	6.9	4.4
	370	30	7700	9.8	6.8	4.3
	360	40	7600	9.7	6.7	4.3
	350	50	7500	9.5	6.6	4.2
	340	60	7400	9.4	6.5	4.2
	330	70	7300	9.3	6.5	4.1
	320	80	7200	9.1	6.4	4.1
	310	90	7100	9.0	6.3	4.0
	300	100	7000	8.9	6.2	3.9
	290	110	6900	8.8	6.1	3.9
	280	120	6800	8.6	6.0	3.8
	270	130	6700	8.5	5.9	3.8
	260	140	6600	8.4	5.8	3.7
	250	150	6500	8.3	5.8	3.7
	240	160	6400	8.1	5.7	3.6
	230	170	6300	8.0	5.6	3.5
	220	180	6200	7.9	5.5	3.5
	210	190	6100	7.7	5.4	3.4
	200	200	6000	7.6	5.3	3.4
	190	210	5900	7.5	5.2	3.3
	180	220	5800	7.4	5.1	3.3
	170	230	5700	7.2	5.0	3.2
	160	240	5600	7.1	5.0	3.2
	150	250	5500	7.0	4.9	3.1
	140	260	5400	6.9	4.8	3.0
	130	270	5300	6.7	4.7	3.0
	120	280	5200	6.6	4.6	2.9
	110	290	5100	6.5	4.5	2.9
	100	300	5000	6.4	4.4	2.8
	90	310	4900	6.2	4.3	2.8
	80	320	4800	6.1	4.2	2.7
	70	330	4700	6.0	4.2	2.6
	60	340	4600	5.8	4.1	2.6
	50	350	4500	5.7	4.0	2.5
	40	360	4400	5.6	3.9	2.5
	30	370	4300	5.5	3.8	2.4
	20	380	4200	5.3	3.7	2.4
	10	390	4100	5.2	3.6	2.3
<b>350</b>	<b>350</b>	<b>0</b>	<b>7000</b>	<b>8.9</b>	<b>6.2</b>	<b>3.9</b>

16 x 22	340	60	7400	9.4	6.5	4.2
	330	70	7300	9.3	6.5	4.1
	320	80	7200	9.1	6.4	4.1
	310	90	7100	9.0	6.3	4.0
	300	100	7000	8.9	6.2	3.9
	290	110	6900	8.8	6.1	3.9
	280	120	6800	8.6	6.0	3.8
	270	130	6700	8.5	5.9	3.8
	260	140	6600	8.4	5.8	3.7
	250	150	6500	8.3	5.8	3.7
	240	160	6400	8.1	5.7	3.6
	230	170	6300	8.0	5.6	3.5
	220	180	6200	7.9	5.5	3.5
	210	190	6100	7.7	5.4	3.4
	200	200	6000	7.6	5.3	3.4
	190	210	5900	7.5	5.2	3.3
	180	220	5800	7.4	5.1	3.3
	170	230	5700	7.2	5.0	3.2
	160	240	5600	7.1	5.0	3.2
	150	250	5500	7.0	4.9	3.1
	140	260	5400	6.9	4.8	3.0
	130	270	5300	6.7	4.7	3.0
	120	280	5200	6.6	4.6	2.9
	110	290	5100	6.5	4.5	2.9
	100	300	5000	6.4	4.4	2.8
	90	310	4900	6.2	4.3	2.8
	80	320	4800	6.1	4.2	2.7
	70	330	4700	6.0	4.2	2.6
	60	340	4600	5.8	4.1	2.6
	50	350	4500	5.7	4.0	2.5
	40	360	4400	5.6	3.9	2.5
	30	370	4300	5.5	3.8	2.4
	20	380	4200	5.3	3.7	2.4
	10	390	4100	5.2	3.6	2.3
<b>300</b>	<b>300</b>	<b>0</b>	<b>6000</b>	<b>7.6</b>	<b>5.3</b>	<b>3.4</b>
16 x 19	290	10	5900	7.5	5.2	3.3
	280	20	5800	7.4	5.1	3.3
	270	30	5700	7.2	5.0	3.2
	260	40	5600	7.1	5.0	3.2
	250	50	5500	7.0	4.9	3.1
	240	60	5400	6.9	4.8	3.0
	230	70	5300	6.7	4.7	3.0
	220	80	5200	6.6	4.6	2.9
	210	90	5100	6.5	4.5	2.9
	200	100	5000	6.4	4.4	2.8
	190	110	4900	6.2	4.3	2.8
	180	120	4800	6.1	4.2	2.7
	170	130	4700	6.0	4.2	2.6

	160	140	4600	5.8	4.1	2.6
	150	150	4500	5.7	4.0	2.5
	140	160	4400	5.6	3.9	2.5
	130	170	4300	5.5	3.8	2.4
	120	180	4200	5.3	3.7	2.4
	110	190	4100	5.2	3.6	2.3
	100	200	4000	5.1	3.5	2.3
	90	210	3900	5.0	3.5	2.2
	80	220	3800	4.8	3.4	2.1
	70	230	3700	4.7	3.3	2.1
	60	240	3600	4.6	3.2	2.0
	50	250	3500	4.4	3.1	2.0
	40	260	3400	4.3	3.0	1.9
	30	270	3300	4.2	2.9	1.9
	20	280	3200	4.1	2.8	1.8
	10	290	3100	3.9	2.7	1.7
<b>250</b>	<b>250</b>	<b>0</b>	<b>5000</b>	<b>6.4</b>	<b>4.4</b>	<b>2.8</b>
12 x 21	240	10	4900	6.2	4.3	2.8
	230	20	4800	6.1	4.2	2.7
	220	30	4700	6.0	4.2	2.6
	210	40	4600	5.8	4.1	2.6
	200	50	4500	5.7	4.0	2.5
	190	60	4400	5.6	3.9	2.5
	180	70	4300	5.5	3.8	2.4
	170	80	4200	5.3	3.7	2.4
	160	90	4100	5.2	3.6	2.3
	150	100	4000	5.1	3.5	2.3
	140	110	3900	5.0	3.5	2.2
	130	120	3800	4.8	3.4	2.1
	120	130	3700	4.7	3.3	2.1
	110	140	3600	4.6	3.2	2.0
	100	150	3500	4.4	3.1	2.0
	90	160	3400	4.3	3.0	1.9
	80	170	3300	4.2	2.9	1.9
	70	180	3200	4.1	2.8	1.8
	60	190	3100	3.9	2.7	1.7
	50	200	3000	3.8	2.7	1.7
	40	210	2900	3.7	2.6	1.6
	30	220	2800	3.6	2.5	1.6
	20	230	2700	3.4	2.4	1.5
	10	240	2600	3.3	2.3	1.5
<b>200</b>	<b>200</b>	<b>0</b>	<b>4000</b>	<b>5.1</b>	<b>3.5</b>	<b>2.3</b>
14 x 14	190	10	3900	5.0	3.5	2.2
	180	20	3800	4.8	3.4	2.1
	170	30	3700	4.7	3.3	2.1
	160	40	3600	4.6	3.2	2.0
	150	50	3500	4.4	3.1	2.0
	140	60	3400	4.3	3.0	1.9

	130	70	3300	4.2	2.9	1.9
	120	80	3200	4.1	2.8	1.8
	110	90	3100	3.9	2.7	1.7
	100	100	3000	3.8	2.7	1.7
	90	110	2900	3.7	2.6	1.6
	80	120	2800	3.6	2.5	1.6
	70	130	2700	3.4	2.4	1.5
	60	140	2600	3.3	2.3	1.5
	50	150	2500	3.2	2.2	1.4
	40	160	2400	3.0	2.1	1.4
	30	170	2300	2.9	2.0	1.3
	20	180	2200	2.8	1.9	1.2
	10	190	2100	2.7	1.9	1.2
	0	200	2000	2.5	1.8	1.1
<b>150</b>	<b>150</b>	<b>0</b>	<b>3000</b>	<b>3.8</b>	<b>2.7</b>	<b>1.7</b>
12 x 13	140	10	2900	3.7	2.6	1.6
	130	20	2800	3.6	2.5	1.6
	120	30	2700	3.4	2.4	1.5
	110	40	2600	3.3	2.3	1.5
	100	50	2500	3.2	2.2	1.4
	90	60	2400	3.0	2.1	1.4
	80	70	2300	2.9	2.0	1.3
	70	80	2200	2.8	1.9	1.2
	60	90	2100	2.7	1.9	1.2
	50	100	2000	2.5	1.8	1.1
	40	110	1900	2.4	1.7	1.1
	30	120	1800	2.3	1.6	1.0
	20	130	1700	2.2	1.5	1.0
	10	140	1600	2.0	1.4	0.9
<b>100</b>	<b>100</b>	<b>0</b>	<b>2000</b>	<b>2.5</b>	<b>1.8</b>	<b>1.1</b>
10 x 10	90	10	1900	2.4	1.7	1.1
	80	20	1800	2.3	1.6	1.0
	70	30	1700	2.2	1.5	1.0
	60	40	1600	2.0	1.4	0.9
	50	50	1500	1.9	1.3	0.8
	40	60	1400	1.8	1.2	0.8
	30	70	1300	1.7	1.2	0.7
	20	80	1200	1.5	1.1	0.7
	10	90	1100	1.4	1.0	0.6
<b>50</b>	<b>50</b>	<b>0</b>	<b>1000</b>	<b>1.3</b>	<b>0.9</b>	<b>0.6</b>
6 x 8	40	10	900	1.1	0.8	0.5
	30	20	800	1.0	0.7	0.5
	20	30	700	0.9	0.6	0.4
	10	40	600	0.8	0.5	0.3

AR Shivakumar PI RWH



### Rainwater Tank size

Tank size in liters												
Depth ft	<b>6</b>											
Width ft	<b>3</b>	<b>1500</b>	<b>3.5</b>	<b>4</b>	<b>4.5</b>	<b>5</b>	<b>5.5</b>	<b>6</b>	<b>6.5</b>	<b>7</b>	<b>7.5</b>	<b>8</b>
<b>Length ft</b>	<b>3.5</b>	1800	2100	2400	2700	3000	3300	3600	3900	4200	4500	4800
	<b>4</b>	2000	2400	2700	3100	3400	3700	4100	4400	4800	5100	5400
	<b>4.5</b>	2300	2700	3100	3400	3800	4200	4600	5000	5400	5700	6100
	<b>5</b>	2500	3000	3400	3800	4200	4700	5100	5500	5900	6400	6800
	<b>5.5</b>	2800	3300	3700	4200	4700	5100	5600	6100	6500	7000	7500
	<b>6</b>	3100	3600	4100	4600	5100	5600	6100	6600	7100	7600	8200
	<b>6.5</b>	3300	3900	4400	5000	5500	6100	6600	7200	7700	8300	8800
	<b>7</b>	3600	4200	4800	5400	5900	6500	7100	7700	8300	8900	9500
	<b>7.5</b>	3800	4500	5100	5700	6400	7000	7600	8300	8900	9600	10200
	<b>8</b>	4100	4800	5400	6100	6800	7500	8200	8800	9500	10200	10900
	<b>8.5</b>	4300	5100	5800	6500	7200	7900	8700	9400	10100	10800	11600
	<b>9</b>	4600	5400	6100	6900	7600	8400	9200	9900	10700	11500	12200
	<b>9.5</b>	4800	5600	6500	7300	8100	8900	9700	10500	11300	12100	12900
	<b>10</b>	5100	5900	6800	7600	8500	9300	10200	11000	11900	12700	13600
	<b>10.5</b>	5400	6200	7100	8000	8900	9800	10700	11600	12500	13400	14300
	<b>11</b>	5600	6500	7500	8400	9300	10300	11200	12100	13100	14000	15000
	<b>11.5</b>	5900	6800	7800	8800	9800	10700	11700	12700	13700	14700	15600
	<b>12</b>	6100	7100	8200	9200	10200	11200	12200	13300	14300	15300	16300
	<b>12.5</b>	6400	7400	8500	9600	10600	11700	12700	13800	14900	15900	17000
	<b>13</b>	6600	7700	8800	9900	11000	12100	13300	14400	15500	16600	17700
<b>13.5</b>	6900	8000	9200	10300	11500	12600	13800	14900	16100	17200	18400	
<b>14</b>	7100	8300	9500	10700	11900	13100	14300	15500	16700	17800	19000	
<b>14.5</b>	7400	8600	9900	11100	12300	13600	14800	16000	17200	18500	19700	
<b>15</b>	7600	8900	10200	11500	12700	14000	15300	16600	17800	19100	20400	
<b>15.5</b>	7900	9200	10500	11900	13200	14500	15800	17100	18400	19800	21100	
<b>16</b>	8200	9500	10900	12200	13600	15000	16300	17700	19000	20400	21700	
<b>16.5</b>	8400	9800	11200	12600	14000	15400	16800	18200	19600	21000	22400	
<b>17</b>	8700	10100	11600	13000	14400	15900	17300	18800	20200	21700	23100	
<b>17.5</b>	8900	10400	11900	13400	14900	16400	17800	19300	20800	22300	23800	
<b>18</b>	9200	10700	12200	13800	15300	16800	18400	19900	21400	22900	24500	
<b>18.5</b>	9400	11000	12600	14100	15700	17300	18900	20400	22000	23600	25100	
<b>19</b>	9700	11300	12900	14500	16100	17800	19400	21000	22600	24200	25800	
<b>19.5</b>	9900	11600	13300	14900	16600	18200	19900	21500	23200	24900	26500	
<b>20</b>	10200	11900	13600	15300	17000	18700	20400	22100	23800	25500	27200	

AR Shivakumar PI RWH

Tank size in liters												
Depth ft	5											
Width ft	3	1274	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8
Length ft	3.5	1500	1700	2000	2200	2500	2700	3000	3200	3500	3700	4000
	4	1700	2000	2300	2500	2800	3100	3400	3700	4000	4200	4500
	4.5	1900	2200	2500	2900	3200	3500	3800	4100	4500	4800	5100
	5	2100	2500	2800	3200	3500	3900	4200	4600	5000	5300	5700
	5.5	2300	2700	3100	3500	3900	4300	4700	5100	5500	5800	6200
	6	2500	3000	3400	3800	4200	4700	5100	5500	5900	6400	6800
	6.5	2800	3200	3700	4100	4600	5100	5500	6000	6400	6900	7400
	7	3000	3500	4000	4500	5000	5500	5900	6400	6900	7400	7900
	7.5	3200	3700	4200	4800	5300	5800	6400	6900	7400	8000	8500
	8	3400	4000	4500	5100	5700	6200	6800	7400	7900	8500	9100
	8.5	3600	4200	4800	5400	6000	6600	7200	7800	8400	9000	9600
	9	3800	4500	5100	5700	6400	7000	7600	8300	8900	9600	10200
	9.5	4000	4700	5400	6100	6700	7400	8100	8700	9400	10100	10800
	10	4200	5000	5700	6400	7100	7800	8500	9200	9900	10600	11300
	10.5	4500	5200	5900	6700	7400	8200	8900	9700	10400	11200	11900
	11	4700	5500	6200	7000	7800	8600	9300	10100	10900	11700	12500
	11.5	4900	5700	6500	7300	8100	9000	9800	10600	11400	12200	13000
	12	5100	5900	6800	7600	8500	9300	10200	11000	11900	12700	13600
	12.5	5300	6200	7100	8000	8900	9700	10600	11500	12400	13300	14200
	13	5500	6400	7400	8300	9200	10100	11000	12000	12900	13800	14700
13.5	5700	6700	7600	8600	9600	10500	11500	12400	13400	14300	15300	
14	5900	6900	7900	8900	9900	10900	11900	12900	13900	14900	15900	
14.5	6200	7200	8200	9200	10300	11300	12300	13300	14400	15400	16400	
15	6400	7400	8500	9600	10600	11700	12700	13800	14900	15900	17000	
15.5	6600	7700	8800	9900	11000	12100	13200	14300	15400	16500	17600	
16	6800	7900	9100	10200	11300	12500	13600	14700	15900	17000	18100	
16.5	7000	8200	9300	10500	11700	12900	14000	15200	16400	17500	18700	
17	7200	8400	9600	10800	12000	13200	14400	15600	16900	18100	19300	
17.5	7400	8700	9900	11200	12400	13600	14900	16100	17300	18600	19800	
18	7600	8900	10200	11500	12700	14000	15300	16600	17800	19100	20400	
18.5	7900	9200	10500	11800	13100	14400	15700	17000	18300	19600	21000	
19	8100	9400	10800	12100	13500	14800	16100	17500	18800	20200	21500	
19.5	8300	9700	11000	12400	13800	15200	16600	17900	19300	20700	22100	
20	8500	9900	11300	12700	14200	15600	17000	18400	19800	21200	22700	

AR Shivakumar PI RWH

Tank size in liters												
Depth ft	4											
Width ft	3	1000	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8
Length ft	3.5	1200	1400	1600	1800	2000	2200	2400	2600	2800	3000	3200
	4	1400	1600	1800	2000	2300	2500	2700	2900	3200	3400	3600
	4.5	1500	1800	2000	2300	2500	2800	3100	3300	3600	3800	4100
	5	1700	2000	2300	2500	2800	3100	3400	3700	4000	4200	4500
	5.5	1900	2200	2500	2800	3100	3400	3700	4000	4400	4700	5000
	6	2000	2400	2700	3100	3400	3700	4100	4400	4800	5100	5400
	6.5	2200	2600	2900	3300	3700	4000	4400	4800	5200	5500	5900
	7	2400	2800	3200	3600	4000	4400	4800	5200	5600	5900	6300
	7.5	2500	3000	3400	3800	4200	4700	5100	5500	5900	6400	6800
	8	2700	3200	3600	4100	4500	5000	5400	5900	6300	6800	7200
	8.5	2900	3400	3900	4300	4800	5300	5800	6300	6700	7200	7700
	9	3100	3600	4100	4600	5100	5600	6100	6600	7100	7600	8200
	9.5	3200	3800	4300	4800	5400	5900	6500	7000	7500	8100	8600
	10	3400	4000	4500	5100	5700	6200	6800	7400	7900	8500	9100
	10.5	3600	4200	4800	5400	5900	6500	7100	7700	8300	8900	9500
	11	3700	4400	5000	5600	6200	6900	7500	8100	8700	9300	10000
	11.5	3900	4600	5200	5900	6500	7200	7800	8500	9100	9800	10400
	12	4100	4800	5400	6100	6800	7500	8200	8800	9500	10200	10900
	12.5	4200	5000	5700	6400	7100	7800	8500	9200	9900	10600	11300
	13	4400	5200	5900	6600	7400	8100	8800	9600	10300	11000	11800
13.5	4600	5400	6100	6900	7600	8400	9200	9900	10700	11500	12200	
14	4800	5600	6300	7100	7900	8700	9500	10300	11100	11900	12700	
14.5	4900	5700	6600	7400	8200	9000	9900	10700	11500	12300	13100	
15	5100	5900	6800	7600	8500	9300	10200	11000	11900	12700	13600	
15.5	5300	6100	7000	7900	8800	9700	10500	11400	12300	13200	14000	
16	5400	6300	7200	8200	9100	10000	10900	11800	12700	13600	14500	
16.5	5600	6500	7500	8400	9300	10300	11200	12100	13100	14000	15000	
17	5800	6700	7700	8700	9600	10600	11600	12500	13500	14400	15400	
17.5	5900	6900	7900	8900	9900	10900	11900	12900	13900	14900	15900	
18	6100	7100	8200	9200	10200	11200	12200	13300	14300	15300	16300	
18.5	6300	7300	8400	9400	10500	11500	12600	13600	14700	15700	16800	
19	6500	7500	8600	9700	10800	11800	12900	14000	15100	16100	17200	
19.5	6600	7700	8800	9900	11000	12100	13300	14400	15500	16600	17700	
20	6800	7900	9100	10200	11300	12500	13600	14700	15900	17000	18100	

AR Shivakumar PI RWH